



# EC Type Examination Certificate



## Approved Body 0362

The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/686/EEC) including amendments and corrigendum up to 14/12/2010 for intermediate design category products.

This has been shown through satisfactory testing to EN ISO 20345: 2011 and examination of the Technical File Documentation.

Following an EC Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 13 of the PPE Directive (89/686/EEC).

ITS Testing Services (UK) Ltd.  
Centre Court  
Meridian Business Park  
Leicester, LE19 1WD  
United Kingdom  
Phone: +44 (0)116 263 0330  
Fax: +44 (0)116 263 0311



[www.intertek.com](http://www.intertek.com)

**Issued to** : Bata Industrials Europe  
Europaplein 1, 5684ZC Best, The Netherlands

**Date of Issue** : 20 June 2018

**Original Date of Issue** : 02 May 2018


**Expiry Date** : 05 January 2022

**Certificate No.** : LEC FI00372016 ISSUE 2 (Extension of certificate LEC FI00366332)

**Product Reference(s)** : ACT 107 O ESD, ACT 127 O ESD, ACT 128 O ESD, ACT 104 O, ACT 109 O, ACT 113 O, ACT 117 O, ACT 144 O

**Description** :

Construction	: Direct Injection
Toecap	: 604 steel toecap Small
Insock	: Bata Orthopedic footbed
Last	: H23104
Sole	: PU/PU
Mould	: Walkline/Enduro
Test Report(s)	: See technical file
Size Range	: 38-49
Category	: S2 SRC

  
Assessor

20/06/2018

Date

  
Certification Manager

20/06/2018

Date

For and on behalf of ITS Testing Services (UK) Limited

Registered in England No. 1408264 Registered Office: Academy Place, 1-9 Brook Street, Brentwood, Essex. CM14 5NQ

This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Certificate. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.